



Certificate of Analysis # 2024-983/EXT/HPLC

Informations provided by the client

Sample Name: CBD GUMMIES - GUMS'N ROSES L24110F
 Matrix: Complex matrix
 Product:

Prepared for

CANNA HEALTH AMSTERDAM
 28b Nieuwe Nieuwstraat Amsterdam
 VAT NL002505280B09

Laboratory Information

Acceptance Date: 04/03/2024
 Test Start Date: 05/03/2024
 Sampling: Sample delivered by the customer
 Sample ID: E040324877/EXT

Compound	Result	UM	LOQ	Result (mg/g)	Measurement uncertain
CBDV	< LOQ	%(m/m)	0,02	< LOQ	
CBDA	< LOQ	%(m/m)	0,033	< LOQ	
CBGA	< LOQ	%(m/m)	0,035	< LOQ	
CBG	< LOQ	%(m/m)	0,018	< LOQ	
CBD	0,13	%(m/m)	0,015	1,3	
THCV	< LOQ	%(m/m)	0,02	< LOQ	
CBN	< LOQ	%(m/m)	0,02	< LOQ	
d9-THC	< LOQ	%(m/m)	0,028	< LOQ	
CBC	< LOQ	%(m/m)	0,017	< LOQ	
THCA	< LOQ	%(m/m)	0,02	< LOQ	
TOTAL CBD	0,13	%(m/m)	0,02	1,3	
TOTAL CBG	< LOQ	%(m/m)	0,02	< LOQ	
TOTAL THC	< LOQ	%(m/m)	0,02	< LOQ	
TOTAL MOISTURE	NR	%	0,05	NR	

%(m/m) = (Mass of the analyte/Mass of the product as it is)
 NR Not Detected
 LOD Limit of detection
 LOQ Limit of quantification
 <LOQ Below the limit of quantification

IST01 REV03 2022 (HPLC)
 IST16 REV02 2022 (Thermogravimetry)

Total Cannabinoids are calculated using the following formulas to calculate the loss of the carboxyl group during decarboxylation

TOTAL THC = THC + (THCA * 0.877)
 TOTAL CBD = CBD + (CBDA * 0.877)
 TOTAL CBG = CBG + (CBGA * 0.877)

877/EXT



End of Test Report # Certificate of Analysis # 2024-983/EXT/HPLC



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1017ZNA AMSTERDAM
 THE NETHERLANDS

The results reported in the Test Report refer only to the sample actually tested, as received. The Laboratory declines all responsibility for the methods of carrying out sampling, transport and storage of the samples until delivery, if carried out by the customer. The Laboratory assumes responsibility for the information and data contained in the test report, with the exclusion of what is declared by the customer. This CoA can only be reproduced in complete form: if not complete, it is allowed only after written authorization from the Laboratory Manager. Copies of this Test Report and related documents are kept for 4 years. The laboratory declines responsibility for any information provided by the customer that may affect the validity of the results. Test Report digitally signed and compliant pursuant to art. 23 Legislative Decree 7 March 2005 No. 82 CAD and subsequent amendments and additions.