

CERTIFICATE OF ANALYSIS

Customer Name	Canna Health Amsterdam	Customer Address	Nieuwe Nieuwstraat 26, 1012 NH Amsterdam, The Netherlands
Sample Name	Unflavoured tincture	Sample Comments	Received as expected
Batch Number	TLM.23	Receipt Date	31 March 2023
Triverity ID	2704	Reported Date	30 May 2023

1: Appearance

2: Odour

Test Performed	Test Method	Date Tested
Organoleptic Properties	T-035	05 April 2023
		Result
Colour and Appearance		Yellow, transparent liquid
Odour		Subtle earthy aroma

3: Density/Relative Density

Test Performed	Test Method	Date Tested
Determination of Density	T-046	13 April 2023
		Result
Density		0.958

4: Peroxide Value

Test Performed ¹		Test Method	Date Tested		
Peroxide Value		DHP00	20 April 2023		
Test Code	Analyte	Result	LOQ	Units	
DHP00	Amount of analysed fat/oil	5.0	NA	g	
DHP00	Peroxide Value	2.6	0.4	mEq/kg fat	

¹ Tested at Eurofins

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 26
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

5: Heavy Metals

Test Performed ¹		Test Method	Date Tested		
Heavy Metals		See below	05 April 2023		
Test Code	Analyte	Result	LOQ	Units	
UD032	Lead (Pb)	<0.005	0.005	mg/kg	
UD033	Cadmium (Cd)	<0.001	0.001	mg/kg	
UD401	Arsenic (As)	0.004	0.002	mg/kg	
UD579	Mercury (Hg)	<0.005	0.005	mg/kg	

¹ Tested at Eurofins


6: Pesticides (LCMS)

Test Performed ¹		Test Method	Date Tested		
Pesticides (LCMS)		SP90L	16 May 2023		
Test Code	Analyte	Result	LOQ	Units	
SP90L	2,4'-Formoxylidid (Amitraz Metabolite)	<0.01	0.01	mg/kg	
SP90L	2,6-Dichlorobenzamide	<0.01	0.01	mg/kg	
SP90L	3-Hydroxycarbofuran	<0.01	0.01	mg/kg	
SP90L	4-Bromo-2-Chlorophenol	<0.05	0.05	mg/kg	
SP90L	5-Hydroxy-Imidacloprid	<0.01	0.01	mg/kg	
SP90L	6-Benzyladenine	<0.01	0.01	mg/kg	
SP90L	6-Chlor-3-phenylpyridazin-4-ol (Pyridafol)	<0.01	0.01	mg/kg	
SP90L	Acephate	<0.01	0.01	mg/kg	
SP90L	Acetamiprid	<0.01	0.01	mg/kg	
SP90L	Acetochlor	<0.01	0.01	mg/kg	
SP90L	Acibenzolar-s-methyl	<0.01	0.01	mg/kg	
SP90L	Acifluorfen	<0.01	0.01	mg/kg	
SP90L	Acrinathrin	<0.01	0.01	mg/kg	
SP90L	Alanycarb	<0.01	0.01	mg/kg	
SP90L	Aldicarb	<0.01	0.01	mg/kg	
SP90L	Aldicarb-sulfone	<0.01	0.01	mg/kg	
SP90L	Aldicarb-sulfoxide	<0.01	0.01	mg/kg	
SP90L	Ametoctradin	<0.01	0.01	mg/kg	
SP90L	Aminocarb	<0.01	0.01	mg/kg	
SP90L	Amisulbrom	<0.01	0.01	mg/kg	
SP90L	Amitraz	<0.01	0.01	mg/kg	
SP90L	Anilofos	<0.01	0.01	mg/kg	
SP90L	Atrazin, desisopropyl	<0.01	0.01	mg/kg	

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CERTIFICATE OF ANALYSIS

SP90L	Atrazine	<0.01	0.01	mg/kg
SP90L	Avermectin B1a	<0.01	0.01	mg/kg
SP90L	Avermectin B1b	<0.01	0.01	mg/kg
SP90L	Azaconazole	<0.01	0.01	mg/kg
SP90L	Azinphos-methyl	<0.01	0.01	mg/kg
SP90L	Azoxystrobin	<0.01	0.01	mg/kg
SP90L	Benalaxyl including other mixtures of constituent isomers including benalaxyl-M (sum of isomers)	<0.01	0.01	mg/kg
SP90L	Bendiocarb	<0.01	0.01	mg/kg
SP90L	Benfuracarb	<0.01	0.01	mg/kg
SP90L	Benfuresate	<0.05	0.05	mg/kg
SP90L	Benodanil	<0.01	0.01	mg/kg
SP90L	Benoxacor	<0.01	0.01	mg/kg
SP90L	Bensulide	<0.01	0.01	mg/kg
SP90L	Bentazone	<0.01	0.01	mg/kg
SP90L	Benthiavalicarb, isopropyl-	<0.01	0.01	mg/kg
SP90L	Benzoximate	<0.01	0.01	mg/kg
SP90L	Bifenazate	<0.01	0.01	mg/kg
SP90L	Bitertanol	<0.01	0.01	mg/kg
SP90L	Bixafen	<0.01	0.01	mg/kg
SP90L	Boscalid	<0.01	0.01	mg/kg
SP90L	Bromoxynil	<0.01	0.01	mg/kg
SP90L	Bromuconazole, cis-	<0.01	0.01	mg/kg
SP90L	Bromuconazole, trans-	<0.01	0.01	mg/kg
SP90L	BTS 27271	<0.01	0.01	mg/kg
SP90L	BTS 44595	<0.01	0.01	mg/kg
SP90L	BTS 44596	<0.01	0.01	mg/kg
SP90L	Bupirimate	<0.01	0.01	mg/kg
SP90L	Buprofezin	<0.01	0.01	mg/kg
SP90L	Butocarboxim-sulfoxide	<0.01	0.01	mg/kg
SP90L	Buturon	<0.01	0.01	mg/kg
SP90L	Butylate	<0.01	0.01	mg/kg
SP90L	Carbaryl	<0.01	0.01	mg/kg
SP90L	Carbendazim	<0.01	0.01	mg/kg
SP90L	Carbetamide	<0.01	0.01	mg/kg
SP90L	Carbofuran	<0.01	0.01	mg/kg
SP90L	Carboxin	<0.01	0.01	mg/kg
SP90L	Carfentrazone	<0.01	0.01	mg/kg
SP90L	Carfentrazone-ethyl	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

SP90L	Carpropamid	<0.01	0.01	mg/kg
SP90L	Chlorantraniliprole	<0.01	0.01	mg/kg
SP90L	Chlorbromuron	<0.01	0.01	mg/kg
SP90L	Chlorbufam	<0.01	0.01	mg/kg
SP90L	Chlorfluazuron	<0.01	0.01	mg/kg
SP90L	Chloridazone	<0.01	0.01	mg/kg
SP90L	Chlorotoluron	<0.01	0.01	mg/kg
SP90L	Chloroxuron	<0.01	0.01	mg/kg
SP90L	Chlorpropham	<0.05	0.05	mg/kg
SP90L	Chlorpyrifos (-ethyl)	<0.05	0.05	mg/kg
SP90L	Chlorpyrifos-methyl	<0.01	0.01	mg/kg
SP90L	Cinidon-ethyl	<0.01	0.01	mg/kg
SP90L	Clethodim	<0.01	0.01	mg/kg
SP90L	Clethodim sulfone	<0.01	0.01	mg/kg
SP90L	Clethodim sulfoxide	<0.01	0.01	mg/kg
SP90L	Clofentezine	<0.01	0.01	mg/kg
SP90L	Clomazone	<0.01	0.01	mg/kg
SP90L	Clothianidin	<0.01	0.01	mg/kg
SP90L	Coumaphos	<0.01	0.01	mg/kg
SP90L	Crimidine	<0.01	0.01	mg/kg
SP90L	Cyanofenphos	<0.01	0.01	mg/kg
SP90L	Cyantraniliprole	<0.01	0.01	mg/kg
SP90L	Cyazofamid	<0.01	0.01	mg/kg
SP90L	Cyclanilide	<0.01	0.01	mg/kg
SP90L	Cyflumetofen	<0.01	0.01	mg/kg
SP90L	Cymoxanil	<0.01	0.01	mg/kg
SP90L	Cyproconazole	<0.01	0.01	mg/kg
SP90L	Cyprodinil	<0.05	0.05	mg/kg
SP90L	Demeton-S-methyl	<0.01	0.01	mg/kg
SP90L	Demeton-S-methyl-sulfone	<0.01	0.01	mg/kg
SP90L	Desmedipham	<0.01	0.01	mg/kg
SP90L	Diallate	<0.01	0.01	mg/kg
SP90L	Diazinon	<0.01	0.01	mg/kg
SP90L	Dichlofenthion	<0.01	0.01	mg/kg
SP90L	Dichlorvos	<0.01	0.01	mg/kg
SP90L	Dicrotophos	<0.01	0.01	mg/kg
SP90L	Diethofencarb	<0.01	0.01	mg/kg
SP90L	Diethyltoluamide	<0.01	0.01	mg/kg
SP90L	Difenacoum	<0.01	0.01	mg/kg
SP90L	Difenoconazole	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

SP90L	Difenoxuron	<0.01	0.01	mg/kg
SP90L	Diflubenzuron	<0.01	0.01	mg/kg
SP90L	Diflufenican	<0.01	0.01	mg/kg
SP90L	Dimefox	<0.01	0.01	mg/kg
SP90L	Dimefuron	<0.01	0.01	mg/kg
SP90L	Dimethachlor	<0.01	0.01	mg/kg
SP90L	Dimethenamid including other mixtures of constituent isomers including dimethenamid-P (sum of isomers)	<0.01	0.01	mg/kg
SP90L	Dimethoate	<0.01	0.01	mg/kg
SP90L	Dimethomorph	<0.01	0.01	mg/kg
SP90L	Dimetilan	<0.01	0.01	mg/kg
SP90L	Dimoxystrobin	<0.01	0.01	mg/kg
SP90L	Diniconazole	<0.01	0.01	mg/kg
SP90L	Dinoseb	<0.01	0.01	mg/kg
SP90L	Dinoterb	<0.01	0.01	mg/kg
SP90L	Dioxacarb	<0.01	0.01	mg/kg
SP90L	Diphenamid	<0.01	0.01	mg/kg
SP90L	Disulfoton	<0.01	0.01	mg/kg
SP90L	Disulfoton-sulfon	<0.01	0.01	mg/kg
SP90L	Disulfoton-sulfoxide	<0.01	0.01	mg/kg
SP90L	Diuron	<0.01	0.01	mg/kg
SP90L	Dodine	<0.1	0.1	mg/kg
SP90L	Emamectin	<0.01	0.01	mg/kg
SP90L	EPN	<0.01	0.01	mg/kg
SP90L	Epoconazole	<0.01	0.01	mg/kg
SP90L	Ethiofencarb	<0.01	0.01	mg/kg
SP90L	Ethiofencarb-sulfone	<0.01	0.01	mg/kg
SP90L	Ethiofencarb-sulfoxide	<0.01	0.01	mg/kg
SP90L	Ethion	<0.01	0.01	mg/kg
SP90L	Ethiprole	<0.01	0.01	mg/kg
SP90L	Ethirimol	<0.01	0.01	mg/kg
SP90L	Ethofumesate	<0.01	0.01	mg/kg
SP90L	Ethoprophos	<0.01	0.01	mg/kg
SP90L	Ethychlozate	<0.01	0.01	mg/kg
SP90L	Famoxadone	<0.01	0.01	mg/kg
SP90L	Fenamidone	<0.01	0.01	mg/kg
SP90L	Fenamiphos	<0.01	0.01	mg/kg
SP90L	Fenamiphos-sulfone	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

SP90L	Fenamiphos-sulfoxide	<0.01	0.01	mg/kg
SP90L	Fenarimol	<0.01	0.01	mg/kg
SP90L	Fenazaquin	<0.01	0.01	mg/kg
SP90L	Fenbuconazole (sum of constituent enantiomers)	<0.01	0.01	mg/kg
SP90L	Fenhexamid	<0.01	0.01	mg/kg
SP90L	Fenobucarb	<0.01	0.01	mg/kg
SP90L	Fenoprop	<0.01	0.01	mg/kg
SP90L	Fenoxaprop-P	<0.01	0.01	mg/kg
SP90L	Fenoxycarb	<0.01	0.01	mg/kg
SP90L	Fenpiclonil	<0.01	0.01	mg/kg
SP90L	Fenpropidin	<0.01	0.01	mg/kg
SP90L	Fenpropimorph	<0.01	0.01	mg/kg
SP90L	Fenpyrazamine	<0.01	0.01	mg/kg
SP90L	Fenpyroximate	<0.01	0.01	mg/kg
SP90L	Fensulfothion	<0.01	0.01	mg/kg
SP90L	Fenthion	<0.01	0.01	mg/kg
SP90L	Fenthion-oxon	<0.01	0.01	mg/kg
SP90L	Fenthion-oxon-sulfone	<0.01	0.01	mg/kg
SP90L	Fenthion-oxon-sulfoxide	<0.01	0.01	mg/kg
SP90L	Fenthion-sulfone	<0.01	0.01	mg/kg
SP90L	Fenthion-sulfoxide	<0.01	0.01	mg/kg
SP90L	Fipronil	<0.01	0.01	mg/kg
SP90L	Eipronil, desulfinyl-	<0.01	0.01	mg/kg
SP90L	Fipronil-sulfide	<0.01	0.01	mg/kg
SP90L	Fipronil-sulfone	<0.01	0.01	mg/kg
SP90L	Fonicamid	<0.01	0.01	mg/kg
SP90L	Fluazifop-P	<0.01	0.01	mg/kg
SP90L	Fluazifop-P-butyl	<0.01	0.01	mg/kg
SP90L	Fluazinam	<0.01	0.01	mg/kg
SP90L	Flubendiamide	<0.01	0.01	mg/kg
SP90L	Fludioxonil	<0.01	0.01	mg/kg
SP90L	Flufenacet	<0.01	0.01	mg/kg
SP90L	Flufenoxuron	<0.01	0.01	mg/kg
SP90L	Flufenazine	<0.01	0.01	mg/kg
SP90L	Fluometuron	<0.01	0.01	mg/kg
SP90L	Fluopicolid	<0.01	0.01	mg/kg
SP90L	Fluopyram	<0.01	0.01	mg/kg
SP90L	Fluoxastrobin	<0.01	0.01	mg/kg
SP90L	Flupyradifurone	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019


CERTIFICATE OF ANALYSIS

SP90L	Flurochloridone	<0.01	0.01	mg/kg
SP90L	Flurprimidol	<0.01	0.01	mg/kg
SP90L	Flurtamone	<0.01	0.01	mg/kg
SP90L	Flusilazole	<0.01	0.01	mg/kg
SP90L	Fluthiacet-methyl	<0.01	0.01	mg/kg
SP90L	Flutianil	<0.01	0.01	mg/kg
SP90L	Flutolanil	<0.01	0.01	mg/kg
SP90L	Flutriafol	<0.01	0.01	mg/kg
SP90L	Fluxapyroxad	<0.01	0.01	mg/kg
SP90L	FM-6-1 (metabolite triflumizole)	<0.01	0.01	mg/kg
SP90L	Fomesafen	<0.01	0.01	mg/kg
SP90L	Forchlorfenuron	<0.01	0.01	mg/kg
SP90L	Formetanate	<0.01	0.01	mg/kg
SP90L	Fosthiazate	<0.01	0.01	mg/kg
SP90L	Furalaxyl	<0.01	0.01	mg/kg
SP90L	Furathiocarb	<0.01	0.01	mg/kg
SP90L	Halauxifen-methyl	<0.01	0.01	mg/kg
SP90L	Haloxfop	<0.01	0.01	mg/kg
SP90L	Heptenophos	<0.01	0.01	mg/kg
SP90L	Hexaconazole	<0.01	0.01	mg/kg
SP90L	Hexaflumuron	<0.01	0.01	mg/kg
SP90L	Hexazinone	<0.01	0.01	mg/kg
SP90L	Hexythiazox (any ratio of constituent isomers)	<0.01	0.01	mg/kg
SP90L	Icaridin	<0.01	0.01	mg/kg
SP90L	Imazalil (any ratio of constituent isomers)	<0.01	0.01	mg/kg
SP90L	Imazamox	<0.01	0.01	mg/kg
SP90L	Imazapyr	<0.01	0.01	mg/kg
SP90L	Imibenconazole	<0.01	0.01	mg/kg
SP90L	Imidacloprid	<0.01	0.01	mg/kg
SP90L	Indaziflam	<0.01	0.01	mg/kg
SP90L	Indoxacarb (sum, R+S isomers)	<0.01	0.01	mg/kg
SP90L	Iodosulfuron methyl	<0.01	0.01	mg/kg
SP90L	Ioxynil	<0.01	0.01	mg/kg
SP90L	Ipconazole	<0.01	0.01	mg/kg
SP90L	Iprodione	<0.01	0.01	mg/kg
SP90L	Iprovalicarb	<0.01	0.01	mg/kg
SP90L	Isazophos	<0.01	0.01	mg/kg
SP90L	Isofenphos	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CERTIFICATE OF ANALYSIS

SP90L	Isoiprodione	<0.01	0.01	mg/kg
SP90L	Isoprocab	<0.01	0.01	mg/kg
SP90L	Isoprothiolane	<0.01	0.01	mg/kg
SP90L	Isoproturon	<0.01	0.01	mg/kg
SP90L	Isopyrazam	<0.01	0.01	mg/kg
SP90L	Isotianil	<0.01	0.01	mg/kg
SP90L	Isouron	<0.01	0.01	mg/kg
SP90L	Isoxaben	<0.01	0.01	mg/kg
SP90L	Isoxaflutole	<0.01	0.01	mg/kg
SP90L	Kresoxim-methyl	<0.01	0.01	mg/kg
SP90L	Lenacil	<0.01	0.01	mg/kg
SP90L	Linuron	<0.01	0.01	mg/kg
SP90L	Lufenuron	<0.01	0.01	mg/kg
SP90L	Malaoxon	<0.01	0.01	mg/kg
SP90L	Malathion	<0.01	0.01	mg/kg
SP90L	Mandestrobin	<0.01	0.01	mg/kg
SP90L	Mandipropamid (any ratio of constituent isomers)	<0.01	0.01	mg/kg
SP90L	Mepanipyrim	<0.01	0.01	mg/kg
SP90L	Metaflumizone (sum of E- and Z-isomers)	<0.01	0.01	mg/kg
SP90L	Metalaxyl	<0.01	0.01	mg/kg
SP90L	Metamitron	<0.01	0.01	mg/kg
SP90L	Metconazole, cis-	<0.01	0.01	mg/kg
SP90L	Metconazole, trans-	<0.01	0.01	mg/kg
SP90L	Methabenzthiazuron	<0.01	0.01	mg/kg
SP90L	Methamidophos	<0.01	0.01	mg/kg
SP90L	Methidathion	<0.01	0.01	mg/kg
SP90L	Methiocarb	<0.01	0.01	mg/kg
SP90L	Methiocarb-sulfone	<0.01	0.01	mg/kg
SP90L	Methiocarb-sulfoxide	<0.01	0.01	mg/kg
SP90L	Methomyl	<0.01	0.01	mg/kg
SP90L	Methoxyfenozide	<0.01	0.01	mg/kg
SP90L	Metobromuron	<0.01	0.01	mg/kg
SP90L	Metolachlor	<0.01	0.01	mg/kg
SP90L	Metolcarb	<0.01	0.01	mg/kg
SP90L	Metosulam	<0.01	0.01	mg/kg
SP90L	Metoxuron	<0.01	0.01	mg/kg
SP90L	Monocrotophos	<0.01	0.01	mg/kg
SP90L	Monolinuron	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

SP90L	Monuron	<0.01	0.01	mg/kg
SP90L	Myclobutanil (sum of constituent isomers)	<0.01	0.01	mg/kg
SP90L	Napropamide	<0.01	0.01	mg/kg
SP90L	Neburon	<0.01	0.01	mg/kg
SP90L	Nicosulfuron	<0.01	0.01	mg/kg
SP90L	Novaluron	<0.01	0.01	mg/kg
SP90L	Nuarimol	<0.01	0.01	mg/kg
SP90L	Ofurace	<0.01	0.01	mg/kg
SP90L	Omethoate	<0.01	0.01	mg/kg
SP90L	Orysastrobil	<0.01	0.01	mg/kg
SP90L	Oryzalin	<0.01	0.01	mg/kg
SP90L	Other screened pesticides	ND		
SP90L	Oxadiazon	<0.01	0.01	mg/kg
SP90L	Oxadixyl	<0.01	0.01	mg/kg
SP90L	Oxamyl	<0.01	0.01	mg/kg
SP90L	Oxamyl-oxime	<0.01	0.01	mg/kg
SP90L	Oxaziclonofone	<0.01	0.01	mg/kg
SP90L	Oxfendazole	<0.01	0.01	mg/kg
SP90L	Oxycarboxin	<0.01	0.01	mg/kg
SP90L	Oxydemeton-methyl	<0.01	0.01	mg/kg
SP90L	Paclobutrazol	<0.01	0.01	mg/kg
SP90L	Paraoxon-ethyl	<0.01	0.01	mg/kg
SP90L	Pebulate	<0.01	0.01	mg/kg
SP90L	Penconazole (sum of constituent isomers)	<0.01	0.01	mg/kg
SP90L	Pencycuron	<0.01	0.01	mg/kg
SP90L	Pendimethalin	<0.01	0.01	mg/kg
SP90L	Penflufen	<0.01	0.01	mg/kg
SP90L	Penoxsulam	<0.01	0.01	mg/kg
SP90L	Pentachlor	<0.01	0.01	mg/kg
SP90L	Penthiopyrad	<0.01	0.01	mg/kg
SP90L	Pethoxamid	<0.01	0.01	mg/kg
SP90L	Phenmedipham	<0.01	0.01	mg/kg
SP90L	Phenthoate	<0.01	0.01	mg/kg
SP90L	Phorate	<0.01	0.01	mg/kg
SP90L	Phorate-sulfone	<0.01	0.01	mg/kg
SP90L	Phorate-sulfoxide	<0.01	0.01	mg/kg
SP90L	Phosalone	<0.01	0.01	mg/kg
SP90L	Phosmet	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/IEC 17025:2017 Communique dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

SP90L	Phosmet (Sum)	<0.01	0.01	mg/kg
SP90L	Phosmet-oxon	<0.01	0.01	mg/kg
SP90L	Phosphamidon	<0.01	0.01	mg/kg
SP90L	Pinoxaden	<0.01	0.01	mg/kg
SP90L	Piperonyl butoxide	<0.01	0.01	mg/kg
SP90L	Pirimicarb	<0.01	0.01	mg/kg
SP90L	Pirimicarb, desmethyl-	<0.01	0.01	mg/kg
SP90L	Pirimicarb, desmethyl-formamido-	<0.01	0.01	mg/kg
SP90L	Pirimiphos-methyl	<0.01	0.01	mg/kg
SP90L	Prochloraz	<0.01	0.01	mg/kg
SP90L	Procymidone	<0.01	0.01	mg/kg
SP90L	Profenofos	<0.01	0.01	mg/kg
SP90L	Promecarb	<0.01	0.01	mg/kg
SP90L	Prometon	<0.01	0.01	mg/kg
SP90L	Propamocarb (Sum of propamocarb and its salts, expressed as propamocarb)	<0.01	0.01	mg/kg
SP90L	Propanil	<0.01	0.01	mg/kg
SP90L	Propaquizafop	<0.01	0.01	mg/kg
SP90L	Propargite	<0.01	0.01	mg/kg
SP90L	Propham	<0.01	0.01	mg/kg
SP90L	Propiconazole (sum of isomers)	<0.01	0.01	mg/kg
SP90L	Propoxur	<0.01	0.01	mg/kg
SP90L	Propoxycarbazon-2-hydroxy	<0.01	0.01	mg/kg
SP90L	Propoxycarbazone	<0.01	0.01	mg/kg
SP90L	Propyzamide	<0.01	0.01	mg/kg
SP90L	Prosulfocarb	<0.01	0.01	mg/kg
SP90L	Prothioconazole	<0.01	0.01	mg/kg
SP90L	Prothioconazole-desthio	<0.01	0.01	mg/kg
SP90L	Pymetrozine	<0.01	0.01	mg/kg
SP90L	Pyraclostrobin	<0.01	0.01	mg/kg
SP90L	Pyraflufen, desethyl-	<0.01	0.01	mg/kg
SP90L	Pyraflufen-ethyl	<0.01	0.01	mg/kg
SP90L	Pyrasulfotole	<0.01	0.01	mg/kg
SP90L	Pyrazoxyfen	<0.01	0.01	mg/kg
SP90L	Pyrifluquinazon	<0.01	0.01	mg/kg
SP90L	Pyrimethanil	<0.01	0.01	mg/kg
SP90L	Pyrimidifen	<0.01	0.01	mg/kg
SP90L	Pyriproxyfen	<0.01	0.01	mg/kg
SP90L	Pyroxsulam	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019


CERTIFICATE OF ANALYSIS

SP90L	Quinoclamine	<0.01	0.01	mg/kg
SP90L	Quizalofop	<0.01	0.01	mg/kg
SP90L	Quizalofop-P-ethyl	<0.01	0.01	mg/kg
SP90L	Quizalofop-P-tefuryl	<0.01	0.01	mg/kg
SP90L	Rimsulfuron	<0.01	0.01	mg/kg
SP90L	Rotenone	<0.01	0.01	mg/kg
SP90L	Saflufenacil	<0.01	0.01	mg/kg
SP90L	Screened pesticides	ND		
SP90L	Sedaxane, cis-	<0.01	0.01	mg/kg
SP90L	Sedaxane, trans-	<0.01	0.01	mg/kg
SP90L	Sethoxydim	<0.01	0.01	mg/kg
SP90L	Simazine	<0.01	0.01	mg/kg
SP90L	Simetryn	<0.01	0.01	mg/kg
SP90L	Spinetoram (sum)	<0.01	0.01	mg/kg
SP90L	Spinosyn A	<0.01	0.01	mg/kg
SP90L	Spinosyn D	<0.01	0.01	mg/kg
SP90L	Spirodiclofen	<0.01	0.01	mg/kg
SP90L	Spiromesifen	<0.01	0.01	mg/kg
SP90L	Spirotetramat	<0.01	0.01	mg/kg
SP90L	Spirotetramat-enol	<0.01	0.01	mg/kg
SP90L	Spirotetramat-enolglucoside	<0.01	0.01	mg/kg
SP90L	Spirotetramat-ketohydroxy	<0.01	0.01	mg/kg
SP90L	Spirotetramat-monohydroxy	<0.01	0.01	mg/kg
SP90L	Spiroxamine	<0.01	0.01	mg/kg
SP90L	Sulfentrazone	<0.01	0.01	mg/kg
SP90L	Sulfotep	<0.01	0.01	mg/kg
SP90L	Sulfoxaflor	<0.01	0.01	mg/kg
SP90L	Sulprofos-sulfoxide	<0.01	0.01	mg/kg
SP90L	Tebuconazole	<0.01	0.01	mg/kg
SP90L	Tebufenozide	<0.01	0.01	mg/kg
SP90L	Tebufenpyrad	<0.01	0.01	mg/kg
SP90L	Teflubenzuron	<0.01	0.01	mg/kg
SP90L	Terbacil	<0.01	0.01	mg/kg
SP90L	Terbucarb	<0.01	0.01	mg/kg
SP90L	Terbufos	<0.01	0.01	mg/kg
SP90L	Terbufos-sulfone	<0.01	0.01	mg/kg
SP90L	Terbufos-sulfoxide	<0.01	0.01	mg/kg
SP90L	Terbumeton	<0.01	0.01	mg/kg
SP90L	Terbutylazine	<0.01	0.01	mg/kg
SP90L	Tetraconazole	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com


Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CERTIFICATE OF ANALYSIS

SP90L	Thiabendazole	<0.01	0.01	mg/kg
SP90L	Thiacloprid	<0.01	0.01	mg/kg
SP90L	Thiamethoxam	<0.01	0.01	mg/kg
SP90L	Thiobencarb	<0.01	0.01	mg/kg
SP90L	Thiodicarb	<0.01	0.01	mg/kg
SP90L	Thiofanox	<0.01	0.01	mg/kg
SP90L	Thiofanox-sulfone	<0.01	0.01	mg/kg
SP90L	Thiofanox-sulfoxide	<0.01	0.01	mg/kg
SP90L	Thiophanate-methyl	<0.01	0.01	mg/kg
SP90L	Tolfenpyrad	<0.01	0.01	mg/kg
SP90L	Triadimefon	<0.01	0.01	mg/kg
SP90L	Triadimenol	<0.01	0.01	mg/kg
SP90L	Triasulfuron	<0.01	0.01	mg/kg
SP90L	Triazophos	<0.01	0.01	mg/kg
SP90L	Trichlorfon	<0.01	0.01	mg/kg
SP90L	Tricyclazole	<0.01	0.01	mg/kg
SP90L	Trifloxystrobin	<0.01	0.01	mg/kg
SP90L	Triflumizole	<0.01	0.01	mg/kg
SP90L	Triflumuron	<0.01	0.01	mg/kg
SP90L	Triflursulfuron-methyl	<0.01	0.01	mg/kg
SP90L	Triforine	<0.01	0.01	mg/kg
SP90L	Trimethacarb, 3,4,5-	<0.01	0.01	mg/kg
SP90L	Triticonazole	<0.01	0.01	mg/kg
SP90L	Valifenalate	<0.01	0.01	mg/kg
SP90L	Vamidothion	<0.01	0.01	mg/kg
SP90L	Vamidothion-sulfone	<0.01	0.01	mg/kg
SP90L	Vamidothion-sulfoxide	<0.01	0.01	mg/kg
SP90L	XMC	<0.01	0.01	mg/kg
SP90L	Xylcarb	<0.01	0.01	mg/kg
SP90L	Zoxamide	<0.01	0.01	mg/kg

¹ Tested at Eurofins
 ND is Not Detected

 **CANNA HEALTH AMSTERDAM**
 NIEUWE NIEUWSTRAAT 26
 1012 NH AMSTERDAM
 THE NETHERLANDS

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

CERTIFICATE OF ANALYSIS


6: Pesticides (GCMS)

Test Performed ¹		Test Method	Date Tested	
Pesticides (GCMS)		ZPAG1	16 May 2023	
Test Code	Analyte	Result	LOQ	Units
ZPAG1	1,4-dimethylnaphthalene	<0.01	0.01	mg/kg
ZPAG1	2,3,4,6-Tetrachloranisol	<0.01	0.01	mg/kg
ZPAG1	2-Octyl-4-isothiazolin-3-on (OIT)	<0.01	0.01	mg/kg
ZPAG1	2-Phenylphenol	<0.01	0.01	mg/kg
ZPAG1	Acenifin	<0.01	0.01	mg/kg
ZPAG1	Acrinathrin	<0.01	0.01	mg/kg
ZPAG1	Alachlor	<0.01	0.01	mg/kg
ZPAG1	Aldrin	<0.01	0.01	mg/kg
ZPAG1	Allethrin	<0.01	0.01	mg/kg
ZPAG1	Allidochlor	<0.01	0.01	mg/kg
ZPAG1	Ametryn	<0.01	0.01	mg/kg
ZPAG1	Amidithion	<0.01	0.01	mg/kg
ZPAG1	Anthraquinone	<0.01	0.01	mg/kg
ZPAG1	Atrazine	<0.01	0.01	mg/kg
ZPAG1	Azaconazole	<0.01	0.01	mg/kg
ZPAG1	Azinphos-ethyl	<0.01	0.01	mg/kg
ZPAG1	Azinphos-methyl	<0.01	0.01	mg/kg
ZPAG1	Beflubutamid	<0.01	0.01	mg/kg
ZPAG1	Benfluralin	<0.01	0.01	mg/kg
ZPAG1	Benzoylprop-ethyl	<0.01	0.01	mg/kg
ZPAG1	Bifenox	<0.01	0.01	mg/kg
ZPAG1	Bifenthrin	<0.01	0.01	mg/kg
ZPAG1	Biphenyl	<0.01	0.01	mg/kg
ZPAG1	Boscalid	<0.01	0.01	mg/kg
ZPAG1	Bromacil	<0.01	0.01	mg/kg
ZPAG1	Bromfenvinphos	<0.01	0.01	mg/kg
ZPAG1	Bromocyclen	<0.01	0.01	mg/kg
ZPAG1	Bromophos-ethyl	<0.01	0.01	mg/kg
ZPAG1	Bromophos-methyl	<0.01	0.01	mg/kg
ZPAG1	Bromopropylate	<0.01	0.01	mg/kg
ZPAG1	Bromuconazole, cis-	<0.01	0.01	mg/kg
ZPAG1	Bromuconazole, trans-	<0.01	0.01	mg/kg
ZPAG1	Butachlor	<0.01	0.01	mg/kg
ZPAG1	Butafenacil	<0.01	0.01	mg/kg
ZPAG1	Butamifos	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



CERTIFICATE OF ANALYSIS

ZPAG1	Butralin	<0.01	0.01	mg/kg
ZPAG1	Butylate	<0.01	0.01	mg/kg
ZPAG1	Cadusafos	<0.01	0.01	mg/kg
ZPAG1	Captan	<0.01	0.01	mg/kg
ZPAG1	Carbophenothion	<0.01	0.01	mg/kg
ZPAG1	Carbophenothion-methyl	<0.01	0.01	mg/kg
ZPAG1	Chlorbenside	<0.01	0.01	mg/kg
ZPAG1	Chlorbenside-sulfone	<0.01	0.01	mg/kg
ZPAG1	Chlordane, cis-	<0.01	0.01	mg/kg
ZPAG1	Chlordane, oxy-	<0.01	0.01	mg/kg
ZPAG1	Chlordane, trans-	<0.01	0.01	mg/kg
ZPAG1	Chlordecon	<0.01	0.01	mg/kg
ZPAG1	Chlorfenapyr	<0.01	0.01	mg/kg
ZPAG1	Chlorfenprop-methyl	<0.01	0.01	mg/kg
ZPAG1	Chlorfenson	<0.01	0.01	mg/kg
ZPAG1	Chlorfenvinphos	<0.01	0.01	mg/kg
ZPAG1	Chlormephos	<0.01	0.01	mg/kg
ZPAG1	Chlorobenzilate	<0.01	0.01	mg/kg
ZPAG1	Chloroneb	<0.01	0.01	mg/kg
ZPAG1	Chloropropylate	<0.01	0.01	mg/kg
ZPAG1	Chlorothalonil	<0.01	0.01	mg/kg
ZPAG1	Chlorpropham	<0.01	0.01	mg/kg
ZPAG1	Chlorpyrifos (-ethyl)	<0.01	0.01	mg/kg
ZPAG1	Chlorpyrifos-methyl	<0.01	0.01	mg/kg
ZPAG1	Chlorthal-dimethyl	<0.01	0.01	mg/kg
ZPAG1	Chlorthion	<0.01	0.01	mg/kg
ZPAG1	Chlorthiophos	<0.01	0.01	mg/kg
ZPAG1	Chlozolate	<0.01	0.01	mg/kg
ZPAG1	Clodinafop-propargyl	<0.01	0.01	mg/kg
ZPAG1	Cloquintocet-mexyl	<0.01	0.01	mg/kg
ZPAG1	Coumaphos	<0.01	0.01	mg/kg
ZPAG1	Crimidine	<0.01	0.01	mg/kg
ZPAG1	Cyanazine	<0.01	0.01	mg/kg
ZPAG1	Cyanofenphos	<0.01	0.01	mg/kg
ZPAG1	Cyanophos	<0.01	0.01	mg/kg
ZPAG1	Cycloate	<0.01	0.01	mg/kg
ZPAG1	Cyflufenamid	<0.01	0.01	mg/kg
ZPAG1	Cyfluthrin	<0.01	0.01	mg/kg
ZPAG1	Cyhalothrin, lambda-(incl. Cyhalothrin, gamma-)	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019


CERTIFICATE OF ANALYSIS

ZPAG1	Cypermethrin (sum of isomers)	<0.01	0.01	mg/kg
ZPAG1	DDD, o,p-	<0.01	0.01	mg/kg
ZPAG1	DDD, p,p'-	<0.01	0.01	mg/kg
ZPAG1	DDE, o,p-	<0.01	0.01	mg/kg
ZPAG1	DDE, p,p'-	<0.01	0.01	mg/kg
ZPAG1	DDT, o,p'-	<0.01	0.01	mg/kg
ZPAG1	DDT, p,p'-	<0.01	0.01	mg/kg
ZPAG1	Deltamethrin	<0.01	0.01	mg/kg
ZPAG1	Desmethyl	<0.01	0.01	mg/kg
ZPAG1	Diazinon	<0.01	0.01	mg/kg
ZPAG1	Dibromobenzophenone, p,p-	<0.01	0.01	mg/kg
ZPAG1	Dicaphon	<0.01	0.01	mg/kg
ZPAG1	Dichlobenil	<0.01	0.01	mg/kg
ZPAG1	Dichlofluanid	<0.01	0.01	mg/kg
ZPAG1	Dichlorvos	<0.01	0.01	mg/kg
ZPAG1	Diclobutrazol	<0.01	0.01	mg/kg
ZPAG1	Dicloran	<0.01	0.01	mg/kg
ZPAG1	Dicofol, o,p-	<0.01	0.01	mg/kg
ZPAG1	Dicofol, p,p-	<0.01	0.01	mg/kg
ZPAG1	Dieldrin	<0.01	0.01	mg/kg
ZPAG1	Diffenican	<0.01	0.01	mg/kg
ZPAG1	Dimethylaminosulphotoluidide (DMST)	<0.01	0.01	mg/kg
ZPAG1	Dimethylphenylsulfamide (DMSA)	<0.01	0.01	mg/kg
ZPAG1	Dimethylvinphos	<0.01	0.01	mg/kg
ZPAG1	Dimoxystrobin	<0.01	0.01	mg/kg
ZPAG1	Dinitramine	<0.01	0.01	mg/kg
ZPAG1	Dioxabenzofos	<0.01	0.01	mg/kg
ZPAG1	Diphenylamine	<0.01	0.01	mg/kg
ZPAG1	Dipropetryn	<0.01	0.01	mg/kg
ZPAG1	Ditalimfos	<0.01	0.01	mg/kg
ZPAG1	Endosulfan sulphate	<0.01	0.01	mg/kg
ZPAG1	Endosulfan, alpha-	<0.01	0.01	mg/kg
ZPAG1	Endosulfan, beta-	<0.01	0.01	mg/kg
ZPAG1	Endrin	<0.01	0.01	mg/kg
ZPAG1	Endrin ketone	<0.01	0.01	mg/kg
ZPAG1	EPN	<0.01	0.01	mg/kg
ZPAG1	EPTC	<0.01	0.01	mg/kg
ZPAG1	Etaconazole	<0.01	0.01	mg/kg
ZPAG1	Ethalfuralin	<0.01	0.01	mg/kg
ZPAG1	Ethion	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).




CERTIFICATE OF ANALYSIS

ZPAG1	Ethofumesat-2-keto	<0.01	0.01	mg/kg
ZPAG1	Ethoprophos	<0.01	0.01	mg/kg
ZPAG1	Etofenprox	<0.01	0.01	mg/kg
ZPAG1	Etiozazole	<0.01	0.01	mg/kg
ZPAG1	Etridiazole	<0.01	0.01	mg/kg
ZPAG1	Etrimfos	<0.01	0.01	mg/kg
ZPAG1	Famophos	<0.01	0.01	mg/kg
ZPAG1	Fenamidone	<0.01	0.01	mg/kg
ZPAG1	Fenarimol	<0.01	0.01	mg/kg
ZPAG1	Fenazaquin	<0.01	0.01	mg/kg
ZPAG1	Fenfluthrin	<0.01	0.01	mg/kg
ZPAG1	Fenfuram	<0.01	0.01	mg/kg
ZPAG1	Fenitrothion	<0.01	0.01	mg/kg
ZPAG1	Fenpropathrin	<0.01	0.01	mg/kg
ZPAG1	Fenson	<0.01	0.01	mg/kg
ZPAG1	Fenvalerate (RR-/SS-Isomers)	<0.01	0.01	mg/kg
ZPAG1	Fenvalerate (RS-/SR-Isomers)	<0.01	0.01	mg/kg
ZPAG1	Fipronil	<0.01	0.01	mg/kg
ZPAG1	Fipronil-sulfone	<0.01	0.01	mg/kg
ZPAG1	Flamprop-methyl	<0.01	0.01	mg/kg
ZPAG1	Fluacrypyrim	<0.01	0.01	mg/kg
ZPAG1	Fluazolate	<0.01	0.01	mg/kg
ZPAG1	Fluchloralin	<0.01	0.01	mg/kg
ZPAG1	Flucythrinate	<0.01	0.01	mg/kg
ZPAG1	Fludioxonil	<0.01	0.01	mg/kg
ZPAG1	Fluensulfone	<0.01	0.01	mg/kg
ZPAG1	Flumetralin	<0.01	0.01	mg/kg
ZPAG1	Flumioxazin	<0.01	0.01	mg/kg
ZPAG1	Fluorodifen	<0.01	0.01	mg/kg
ZPAG1	Fluotrimazole	<0.01	0.01	mg/kg
ZPAG1	Fluquinconazole	<0.01	0.01	mg/kg
ZPAG1	Flurenol-butyl	<0.01	0.01	mg/kg
ZPAG1	Flutolanil	<0.01	0.01	mg/kg
ZPAG1	Flutriafol	<0.01	0.01	mg/kg
ZPAG1	Fluvalinate (sum of isomers)	<0.01	0.01	mg/kg
ZPAG1	Folpet	<0.01	0.01	mg/kg
ZPAG1	Fonofos	<0.01	0.01	mg/kg
ZPAG1	Formothion	<0.01	0.01	mg/kg
ZPAG1	Genite	<0.01	0.01	mg/kg
ZPAG1	Halfenprox	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/IEC 17025:2017 Communique dated April 2017).



CERTIFICATE OF ANALYSIS

ZPAG1	HCH, alpha-	<0.01	0.01	mg/kg
ZPAG1	HCH, beta-	<0.01	0.01	mg/kg
ZPAG1	HCH, delta-	<0.01	0.01	mg/kg
ZPAG1	HCH, epsilon-	<0.01	0.01	mg/kg
ZPAG1	Heptachlor	<0.01	0.01	mg/kg
ZPAG1	Heptachlor epoxide, cis-	<0.01	0.01	mg/kg
ZPAG1	Heptachlor epoxide, trans-	<0.01	0.01	mg/kg
ZPAG1	Hexachlorobenzene (HCB)	<0.01	0.01	mg/kg
ZPAG1	Hexazinone	<0.01	0.01	mg/kg
ZPAG1	Iodofenphos	<0.01	0.01	mg/kg
ZPAG1	Ioxynil-octanoate	<0.01	0.01	mg/kg
ZPAG1	Iprobenfos	<0.01	0.01	mg/kg
ZPAG1	Isazophos	<0.01	0.01	mg/kg
ZPAG1	Isobenzan	<0.01	0.01	mg/kg
ZPAG1	Isocarbamid	<0.01	0.01	mg/kg
ZPAG1	Isocarbofos	<0.01	0.01	mg/kg
ZPAG1	Isodrin	<0.01	0.01	mg/kg
ZPAG1	Isofenphos	<0.01	0.01	mg/kg
ZPAG1	Isofenphos-methyl	<0.01	0.01	mg/kg
ZPAG1	Isopropalin	<0.01	0.01	mg/kg
ZPAG1	Isoprothiolane	<0.01	0.01	mg/kg
ZPAG1	Isoxadifen-ethyl	<0.01	0.01	mg/kg
ZPAG1	Isoxathion	<0.01	0.01	mg/kg
ZPAG1	Kresoxim-methyl	<0.01	0.01	mg/kg
ZPAG1	Lactofen	<0.01	0.01	mg/kg
ZPAG1	Lenacil	<0.01	0.01	mg/kg
ZPAG1	Leptophos	<0.01	0.01	mg/kg
ZPAG1	Lindane (gamma-HCH)	<0.01	0.01	mg/kg
ZPAG1	Malathion	<0.01	0.01	mg/kg
ZPAG1	Mefenpyr-diethyl	<0.01	0.01	mg/kg
ZPAG1	Mepaniprim	<0.01	0.01	mg/kg
ZPAG1	Mephosfolan	<0.01	0.01	mg/kg
ZPAG1	Mepronil	<0.01	0.01	mg/kg
ZPAG1	Metazachlor	<0.01	0.01	mg/kg
ZPAG1	Metconazole, cis-	<0.01	0.01	mg/kg
ZPAG1	Metconazole, trans-	<0.01	0.01	mg/kg
ZPAG1	Methacrifos	<0.01	0.01	mg/kg
ZPAG1	Methoprene	<0.01	0.01	mg/kg
ZPAG1	Methoxychlor	<0.01	0.01	mg/kg
ZPAG1	Metolachlor	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CERTIFICATE OF ANALYSIS

ZPAG1	Metominostrobin	<0.01	0.01	mg/kg
ZPAG1	Metrafenone	<0.01	0.01	mg/kg
ZPAG1	Metribuzin	<0.01	0.01	mg/kg
ZPAG1	Mevinphos	<0.01	0.01	mg/kg
ZPAG1	Mirex	<0.01	0.01	mg/kg
ZPAG1	Monalide	<0.01	0.01	mg/kg
ZPAG1	Morphothion	<0.01	0.01	mg/kg
ZPAG1	Myclobutanil (sum of constituent isomers)	<0.01	0.01	mg/kg
ZPAG1	Napropamide	<0.01	0.01	mg/kg
ZPAG1	Nitralin	<0.01	0.01	mg/kg
ZPAG1	Nitrapyrin	<0.01	0.01	mg/kg
ZPAG1	Nitrofen	<0.01	0.01	mg/kg
ZPAG1	Nitrothal-isopropyl	<0.01	0.01	mg/kg
ZPAG1	Nonachlor, cis-	<0.01	0.01	mg/kg
ZPAG1	Nonachlor, trans-	<0.01	0.01	mg/kg
ZPAG1	Norflurazon	<0.01	0.01	mg/kg
ZPAG1	Octachlorstyrene	<0.01	0.01	mg/kg
ZPAG1	Other screened pesticides	ND		
ZPAG1	Oxadiazyl	<0.01	0.01	mg/kg
ZPAG1	Oxadiazon	<0.01	0.01	mg/kg
ZPAG1	Oxyfluorfen	<0.01	0.01	mg/kg
ZPAG1	Paclobutrazol	<0.01	0.01	mg/kg
ZPAG1	Parathion-ethyl	<0.01	0.01	mg/kg
ZPAG1	Parathion-methyl	<0.01	0.01	mg/kg
ZPAG1	Pendimethalin	<0.01	0.01	mg/kg
ZPAG1	Pentachloroaniline	<0.01	0.01	mg/kg
ZPAG1	Pentachloroanisole	<0.01	0.01	mg/kg
ZPAG1	Pentachlorobenzene	<0.01	0.01	mg/kg
ZPAG1	Pentachlorothioanisole	<0.01	0.01	mg/kg
ZPAG1	Permethrin (sum of isomers)	<0.01	0.01	mg/kg
ZPAG1	Perthane	<0.01	0.01	mg/kg
ZPAG1	Phenkapton	<0.01	0.01	mg/kg
ZPAG1	Phenothrin	<0.01	0.01	mg/kg
ZPAG1	Phenthoate	<0.01	0.01	mg/kg
ZPAG1	Phorate	<0.01	0.01	mg/kg
ZPAG1	Phorate-sulfone	<0.01	0.01	mg/kg
ZPAG1	Phosfolan	<0.01	0.01	mg/kg
ZPAG1	Phthalimide (PI)	<0.01	0.01	mg/kg
ZPAG1	Picolinafen	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/IEC 17025:2017 Communique dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

ZPAG1	Picoxystrobin	<0.01	0.01	mg/kg
ZPAG1	Piperonyl butoxide	<0.01	0.01	mg/kg
ZPAG1	Piperophos	<0.01	0.01	mg/kg
ZPAG1	Pirimiphos-ethyl	<0.01	0.01	mg/kg
ZPAG1	Pirimiphos-methyl	<0.01	0.01	mg/kg
ZPAG1	Plifenate	<0.01	0.01	mg/kg
ZPAG1	Pretilachlor	<0.01	0.01	mg/kg
ZPAG1	Procymidone	<0.01	0.01	mg/kg
ZPAG1	Profenofos	<0.01	0.01	mg/kg
ZPAG1	Profluralin	<0.01	0.01	mg/kg
ZPAG1	Prometryn	<0.01	0.01	mg/kg
ZPAG1	Propachlor	<0.01	0.01	mg/kg
ZPAG1	Propanil	<0.01	0.01	mg/kg
ZPAG1	Propaphos	<0.01	0.01	mg/kg
ZPAG1	Propazine	<0.01	0.01	mg/kg
ZPAG1	Propetamphos	<0.01	0.01	mg/kg
ZPAG1	Propham	<0.01	0.01	mg/kg
ZPAG1	Propyzamide	<0.01	0.01	mg/kg
ZPAG1	Proquinazid	<0.01	0.01	mg/kg
ZPAG1	Prothiofos	<0.01	0.01	mg/kg
ZPAG1	Prothoate	<0.01	0.01	mg/kg
ZPAG1	Pyraclofos	<0.01	0.01	mg/kg
ZPAG1	Pyrazophos	<0.01	0.01	mg/kg
ZPAG1	Pyridaben	<0.01	0.01	mg/kg
ZPAG1	Pyridalyl	<0.01	0.01	mg/kg
ZPAG1	Pyridaphenthion	<0.01	0.01	mg/kg
ZPAG1	Pyrifenoxy	<0.01	0.01	mg/kg
ZPAG1	Quinalphos	<0.01	0.01	mg/kg
ZPAG1	Quinoxifen	<0.01	0.01	mg/kg
ZPAG1	Quintiofos	<0.01	0.01	mg/kg
ZPAG1	Quintozone	<0.01	0.01	mg/kg
ZPAG1	Quizalofop ethyl	<0.01	0.01	mg/kg
ZPAG1	S 421	<0.01	0.01	mg/kg
ZPAG1	Screened pesticides	ND		
ZPAG1	Sebuthylazine	<0.01	0.01	mg/kg
ZPAG1	Secbumeton	<0.01	0.01	mg/kg
ZPAG1	Sedaxane, cis-	<0.01	0.01	mg/kg
ZPAG1	Sedaxane, trans-	<0.01	0.01	mg/kg
ZPAG1	Silafluofen	<0.01	0.01	mg/kg
ZPAG1	Silthiofam	<0.01	0.01	mg/kg

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/IEC 17025-1/17025-2:2017 Certificate of Accreditation dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

ZPAG1	Sulfotep	<0.01	0.01	mg/kg
ZPAG1	Sulprofos	<0.01	0.01	mg/kg
ZPAG1	Tebufenpyrad	<0.01	0.01	mg/kg
ZPAG1	Tebutam	<0.01	0.01	mg/kg
ZPAG1	Tecnazene	<0.01	0.01	mg/kg
ZPAG1	Tefluthrin	<0.01	0.01	mg/kg
ZPAG1	Terbacil	<0.01	0.01	mg/kg
ZPAG1	Terbufos	<0.01	0.01	mg/kg
ZPAG1	Terbutylazine	<0.01	0.01	mg/kg
ZPAG1	Terbutylazine, desethyl-	<0.01	0.01	mg/kg
ZPAG1	Terbutryn	<0.01	0.01	mg/kg
ZPAG1	Tetrachlorvinphos	<0.01	0.01	mg/kg
ZPAG1	Tetraconazole	<0.01	0.01	mg/kg
ZPAG1	Tetradifon	<0.01	0.01	mg/kg
ZPAG1	Tetrahydrophthalimide (THPI)	<0.01	0.01	mg/kg
ZPAG1	Tetramethrin	<0.01	0.01	mg/kg
ZPAG1	Tetrasul	<0.01	0.01	mg/kg
ZPAG1	Thiometon	<0.01	0.01	mg/kg
ZPAG1	Thionazin	<0.01	0.01	mg/kg
ZPAG1	Tolclofos-methyl	<0.01	0.01	mg/kg
ZPAG1	Tolyfluanid	<0.01	0.01	mg/kg
ZPAG1	Transfluthrin	<0.01	0.01	mg/kg
ZPAG1	Triadimefon	<0.01	0.01	mg/kg
ZPAG1	Triadimenol	<0.01	0.01	mg/kg
ZPAG1	Triallate	<0.01	0.01	mg/kg
ZPAG1	Triazamate	<0.01	0.01	mg/kg
ZPAG1	Triazophos	<0.01	0.01	mg/kg
ZPAG1	Trichloronat	<0.01	0.01	mg/kg
ZPAG1	Trifluralin	<0.01	0.01	mg/kg
ZPAG1	Trimethacarb 2,3,5-	<0.01	0.01	mg/kg
ZPAG1	Trimethacarb, 3,4,5-	<0.01	0.01	mg/kg
ZPAG1	Triticonazole	<0.01	0.01	mg/kg
ZPAG1	Uniconazole	<0.01	0.01	mg/kg
ZPAG1	Vinclozolin	<0.01	0.01	mg/kg

¹ Tested at Eurofins
 ND is Not Detected

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

7: Mycotoxins

Test Performed ¹		Test Method	Date Tested		
Mycotoxins		JJOEW	12 April 2023		
Test Code	Analyte	Result	LOQ	Units	
JJOEW	Aflatoxin B1	<0.1	1	µg/kg	
JJOEW	Aflatoxin B2	<0.1	1	µg/kg	
JJOEW	Aflatoxin G1	<0.1	1	µg/kg	
JJOEW	Aflatoxin G2	<0.1	1	µg/kg	
JJOEW	Sum of all positive Aflatoxins	NA			

¹ Tested at Eurofins
NA is Not Applicable

8: Polycyclic Aromatic Hydrocarbons (PAH)

Test Performed ¹		Test Method	Date Tested		
PAH		JJ10V	20 April 2023		
Test Code	Analyte	Result	LOQ	Units	
JC10V	5-Methylchrysene	<1.0	1	µg/kg	
JC10V	Benz(a)anthracene	<0.5	0.5	µg/kg	
JC10V	Benzo(a)pyrene	<0.5	0.5	µg/kg	
JC10V	Benzo(b)fluoranthene	0.5	0.5	µg/kg	
JC10V	Benzo(g,h,i)perylene	<0.5	0.5	µg/kg	
JC10V	Benzo(j)-fluoranthene	<0.5	0.5	µg/kg	
JC10V	Benzo(k)fluoranthene	<0.5	0.5	µg/kg	
JC10V	benzo[c]fluorene	<1.0	1	µg/kg	
JC10V	Chrysene	0.8	0.5	µg/kg	
JC10V	Cyclopenta(c,d)pyrene	<1.0	1	µg/kg	
JC10V	Dibenz(a,h)anthracene	<0.5	0.5	µg/kg	
JC10V	Dibenzo(a,e)pyrene	<1.0	1	µg/kg	
JC10V	Dibenzo(a,h)pyrene	<1.0	1	µg/kg	
JC10V	Dibenzo(a,i)pyrene	<1.0	1	µg/kg	
JC10V	Dibenzo(a,l)pyrene	<1.0	1	µg/kg	
JC10V	Indeno(1,2,3-cd)pyrene	<0.5	0.5	µg/kg	
JC10V	Sum of all positive identified PAH	1.3		µg/kg	
JC10V	Sum PAH 4	1.3		µg/kg	

¹ Tested at Eurofins

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO/ILAC-IAF Communiqué dated April 2017).



CANNA HEALTH AMSTERDAM
NIEUWE NIEUWSTRAAT 28b
1012 NA AMSTERDAM
THE NETHERLANDS



PJLA
Testing
Accreditation #113019

CERTIFICATE OF ANALYSIS

9: Dioxins and PCBs

Test Performed ¹		Test Method	Date Tested		
Dioxins and PCBs		See below	20 April 2023		
Test Code	Analyte	Result	LOQ	Units	
GFL01	1,2,3,4,6,7,8-HeptaCDD	3.5	0.133	pg/g fat	
GFL01	1,2,3,4,6,7,8-HeptaCDF	0.179	0.093	pg/g fat	
GFL01	1,2,3,4,7,8,9-HeptaCDD	<0.0650	0.065	pg/g fat	
GFL01	1,2,3,4,7,8-HexaCDD	<0.0630	0.063	pg/g fat	
GFL01	1,2,3,4,7,8-HexaCDF	<0.0980	0.098	pg/g fat	
GFL01	1,2,3,6,7,8-HexaCDD	<0.0870	0.087	pg/g fat	
GFL01	1,2,3,6,7,8-HexaCDF	<0.0900	0.09	pg/g fat	
GFL01	1,2,3,7,8,9-HexaCDD	<0.0820	0.082	pg/g fat	
GFL01	1,2,3,7,8,9-HexaCDF	<0.0670	0.067	pg/g fat	
GFL01	1,2,3,7,8-PentaCDD	<0.0420	0.042	pg/g fat	
GFL01	1,2,3,7,8-PentaCDF	<0.600	0.06	pg/g fat	
GFL01	2,3,4,6,7,8-HexaCDF	<0.0820	0.082	pg/g fat	
GFL01	2,3,4,7,8-PentaCDF	<0.0930	0.093	pg/g fat	
GFL01	2,3,7,8-TetraCDD	<0.0320	0.032	pg/g fat	
GFL01	2,3,7,8-TetraCDF	<0.0870	0.087	pg/g fat	
GFL01	OctaCDD	17.0	0.967	pg/g fat	
GFL01	OctaCDF	0.220	0.2	pg/g fat	
GFL01	WHO(2005)-PCDD/F TEQ (lower-bound)	0.0422		pg/g fat	
GFL01	WHO(2005)-PCDD/F TEQ (medium-bound)	0.127		pg/g fat	
GFL01	WHO(2005)-PCDD/F TEQ (upper-bound)	0.212		pg/g fat	
GFL07	PCB 101	<0.167	0.167	ng/g fat	
GFL07	PCB 105	<6.50	6.5	pg/g fat	
GFL07	PCB 114	<0.883	0.883	pg/g fat	
GFL07	PCB 118	<23.3	23.33	pg/g fat	
GFL07	PCB 123	<0.667	0.667	pg/g fat	
GFL07	PCB 126	<0.417	0.417	pg/g fat	
GFL07	PCB 138	<0.167	0.167	ng/g fat	
GFL07	PCB 153	<0.167	0.167	ng/g fat	
GFL07	PCB 156	<3.67	3.667	pg/g fat	
GFL07	PCB 157	<0.683	0.683	pg/g fat	
GFL07	PCB 167	<1.83	1.833	pg/g fat	
GFL07	PCB 169	<2.00	2	pg/g fat	
GFL07	PCB 180	<0.167	0.167	ng/g fat	
GFL07	PCB 189	<0.667	0.667	pg/g fat	
GFL07	PCB 28	<0.167	0.167	ng/g fat	

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).



CANA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS



PJLA
 Testing
 Accreditation #113019

CERTIFICATE OF ANALYSIS

GFL07	PCB 52	<0.167	0.167	ng/g fat
GFL07	PCB 77	<3.00	3	pg/g fat
GFL07	PCB 81	<0.450	0.45	pg/g fat
GFL07	Total 6 ndl-PCB (lower-bound)	ND		ng/g fat
GFL07	Total 6 ndl-PCB (medium-bound)	0.501		ng/g fat
GFL07	Total 6 ndl-PCB (upper-bound)	1.00		ng/g fat
GFL07	WHO(2005)-PCB TEQ (lower-bound)	ND		pg/g fat
GFL07	WHO(2005)-PCB TEQ (medium-bound)	0.0516		pg/g fat
GFL07	WHO(2005)-PCB TEQ (upper-bound)	0.103		pg/g fat
GFTE1	WHO(2005)-PCDD/F+PCB TEQ (lower-bound)	0.0422		pg/g fat
GFTE1	WHO(2005)-PCDD/F+PCB TEQ (medium-bound)	0.179		pg/g fat
GFTE1	WHO(2005)-PCDD/F+PCB TEQ (upper-bound)	0.315		pg/g fat

¹ Tested at Eurofins
 ND is Not Detected

10: Microbiology

Test Performed ¹		Test Method	Date Tested		
Microbiology		See below	07 April 2023		
Test Code	Analyte	Result	LOQ	Units	
UM02R	Coagulase positive staphylococcus	<20	20	cfu/g	
UMD0K	Escherichia Coli	ND		/g	
UMPEC	Presumptive Enterobacteriaceae 37 °C	<10	10	cfu/g	
UMRQT	Aerobic Plate Count 30 °C	<100	100	cfu/g	
UMXOG	Moulds 25 °C	<10	10	cfu/g	
UMXOG	Yeasts 25 °C	<10	10	cfu/g	
ZMBSR	Salmonella	ND		/10 g	

¹ Tested at Eurofins
 ND is Not Detected



CANVA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28b
 1012 NH AMSTERDAM
 THE NETHERLANDS

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

CERTIFICATE OF ANALYSIS

11: Residual Solvents

Test Performed ¹		Test Method	Date Tested	
Residual Solvents		JCRSA	20 April 2023	
Test Code	Analyte	Result	LOQ	Units
JCRSA	1,1,1,2-Tetrachloroethane	<0.010	0.01	mg/kg
JCRSA	1,1,1-Trichloroethane	<0.010	0.01	mg/kg
JCRSA	1,1,2-Trichloroethane	<0.010	0.01	mg/kg
JCRSA	1,1-Dichloroethane	<0.050	0.05	mg/kg
JCRSA	1,2-Dichloroethane	<0.050	0.05	mg/kg
JCRSA	2-Butanon (Methylethylketon)	<1.0	1	mg/kg
JCRSA	2-Methylpentane	<1.0	1	mg/kg
JCRSA	3-Methylpentane	<1.0	1	mg/kg
JCRSA	Benzene	<0.010	0.01	mg/kg
JCRSA	Bromodichloromethane	<0.050	0.05	mg/kg
JCRSA	Chloroform (Trichloromethane)	<0.010	0.01	mg/kg
JCRSA	cis-Dichloroethene	<0.050	0.05	mg/kg
JCRSA	Dibromochloromethane	<0.050	0.05	mg/kg
JCRSA	Dichloromethane	<0.050	0.05	mg/kg
JCRSA	Ethyl Acetate	<1.0	1	mg/kg
JCRSA	Ethylbenzene	<0.010	0.01	mg/kg
JCRSA	m-/p-Xylene	0.024	0.01	mg/kg
JCRSA	Methyl acetate	<1.0	1	mg/kg
JCRSA	Methylcyclopentane	<1.0	1	mg/kg
JCRSA	n-Heptane	<1.0	1	mg/kg
JCRSA	n-Hexane	<1.0	1	mg/kg
JCRSA	n-Pentane	10	1	mg/kg
JCRSA	Styrene	0.043	0.01	mg/kg
JCRSA	Sum 3 chlorinated solvents	Inapplicable		mg/kg
JCRSA	Technical Hexane (calculated)	Inapplicable		mg/kg
JCRSA	Tetrachloroethene	<0.010	0.01	mg/kg
JCRSA	Tetrachloromethane	<0.010	0.01	mg/kg
JCRSA	Toluene	<0.010	0.01	mg/kg
JCRSA	trans-Dichloroethene	<0.050	0.05	mg/kg
JCRSA	Tribromomethane	<0.050	0.05	mg/kg
JCRSA	Trichloroethene	<0.010	0.01	mg/kg
JCRSA	Xylene (ortho-)	<0.010	0.01	mg/kg

¹ Tested at Eurofins

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

CERTIFICATE OF ANALYSIS

12: Cannabinoid Profile

Test Performed	Test Method	Date Tested
Cannabidiol (CBD)	T-003	05 April 2023

		% w/w
T-003	Cannabidiol (CBD)	6.030

Test Performed	Test Method	Date Tested
Cannabigerol (CBG)	T-003	27 April 2023

		% w/w
T-003	Cannabigerol (CBG)	10.977

Test Performed	Test Method	Date Tested
Cannabinoid Profile	T-004	05 April 2023

		% w/w
CBDVA	Cannabidivarinic Acid	ND
CBDV	Cannabidivarin	0.0494
CBDA	Cannabidiolic Acid	ND
CBGA	Cannabigerolic Acid	ND
THCV	Tetrahydrocannabivarin	ND
CBN	Cannabinol	ND
Delta 9-THC	Δ^9 -Tetrahydrocannabinol	ND
Delta 8-THC	Δ^8 -Tetrahydrocannabinol	ND
CBC	Cannabichromene	ND
THCA	Δ^9 -Tetrahydrocannabinolic Acid A	ND

LOQ is 0.01 % w/w
 ND is Not Detected

Comments: NA

Heather Krebs
 Checked and Authorised

30May2023
 Date



CANNA HEALTH AMSTERDAM
 NIEUWE NIEUWSTRAAT 28
 1012 NH AMSTERDAM
 THE NETHERLANDS

Results presented apply to the sample as received and identified above. This certificate of analysis cannot be reproduced, except in full, without written approval from Triverity Laboratories.

Triverity Laboratories LLC, 1740 Topaz Drive, Loveland, CO 80537
 Tel: +1-970-800-3917 | Website: triveritylabs.com | Email: engage@triveritylabs.com

Triverity Laboratories is accredited in accordance with the recognised International Standard ISO/IEC 17025. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISOILAC-IAF Communiqué dated April 2017).

